Heat Transfer Asian Research
Subject Index to Volume 30, 2001

Absorption rate: **6**, 451-462
Absorption refrigeration: **6**, 451-462
Acetone pool boiling: **4**, 259-266
Actual flue gas: **2**, 139-151
Air conditioning: **2**, 126-138; **3**, 195-212
Algebraic scalar flux model: **5**, 402-418
Analogy: **2**, 139-151
Attractor: **1**, 11-21
Auto-correlated coefficient: **1**, 11-21
Autocorrelation function: **1**, 40-53
Automobile: **3**, 195-212

Binary gas: **1**, 63-75
Boiler: **2**, 139-151
Boiling: **1**, 1-10; **5**, 394-401

Capillary flow: **2**, 77-94
Channel flow: **5**, 426-438
Chaos: **1**, 40-53
Chaotic characteristics: **1**, 11-21
CIP: **6**, 463-472
Circular cylinder: **4**, 313-330
Close-contact melting: **6**, 463-472
Closed cabinet: **4**, 267-279
Cold energy: **2**, 95-113
Combined heat transfer: **1**, 54-62
Combustion: **7**, 581-613
Compact heat sink: **6**, 512-520
Computational fluid dynamics: **3**, 195-212; **6**, 503-511
Concentric rectangular parallelepipeds: **2**, 152-163
Condensation: **7**, 542-560, 571-580
Condensation heat transfer: **5**, 383-393
Contact angle: **5**, 371-382
Contact angle hysteresis: **5**, 371-382
Convection: **3**, 213-221; **4**, 293-300; **6**, 485-502; **8**, 615-623
Convective heat transfer: **7**, 561-570
Correlating equations: **4**, 293-300
Correlation dimension: **1**, 11-21
Corrugated multi-louvered fins: **5**, 383-393
Cryogenics: **7**, 542-560

Dehumidity: **2**, 95-113
Density distribution: **5**, 439-450
Desalinization: **5**, 394-401
Diffusion: **6**, 503-511
Diode package: **5**, 357-370
Direct contact: **2**, 95-113
Direct energy conversion: **3**, 234-244
Disintegration mechanism: **6**, 473-484
Double-diffusive convection: **1**, 63-75; **8**, 636-647
Draining: **5**, 383-393
Dropwise condensation: **2**, 139-151
Drying: **1**, 22-27; **2**, 77-94

Eccentricity: **8**, 624-635
Electronic equipment: **4**, 267-279
Elliptical annuli: **8**, 624-635
Energy conversion: **3**, 234-244
Energy saving: **2**, 126-138
Energy storage: **2**, 126-138
Enthalpy method: **6**, 463-472
Ephemeral wave: **2**, 114-125
Evaporation: **5**, 394-401
Evaporator: **5**, 383-393
Experiment: **4**, 341-356
Experimental analysis: **1**, 40-53

Film boiling: **8**, 689-701
Film condensation: **7**, 542-560
Finite-element method: **3**, 245-258
Finite volume method: **1**, 28-39
Flow impingement: **5**, 402-418
Flow patterns: **4**, 301-312
Flow separation: **5**, 402-418
Flow visualization: **3**, 222-233; **4**, 313-330; **5**, 383-393; **8**, 648-659
Fluidized bed: **3**, 175-184
Forced-air cooling: **6**, 512-520
Forced convection: **4**, 267-279, 280-292, 331-340; **5**, 402-418, 426-438
Frost: **5**, 439-450

Genetic algorithms: **1**, 28-39
Geometrical optics: **5**, 439-450
Glass: **8**, 660-675
Gradient diffusion model: **5**, 402-418

Heat Transfer Asian Research
Subject Index to Volume 30, 2001

Absorption rate: **6**, 451-462
Absorption refrigeration: **6**, 451-462
Acetone pool boiling: **4**, 259-266
Actual flue gas: **2**, 139-151
Air conditioning: **2**, 126-138; **3**, 195-212
Algebraic scalar flux model: **5**, 402-418
Analogy: **2**, 139-151
Attractor: **1**, 11-21
Auto-correlated coefficient: **1**, 11-21
Autocorrelation function: **1**, 40-53
Automobile: **3**, 195-212

Binary gas: **1**, 63-75
Boiler: **2**, 139-151
Boiling: **1**, 1-10; **5**, 394-401

Capillary flow: **2**, 77-94
Channel flow: **5**, 426-438
Chaos: **1**, 40-53
Chaotic characteristics: **1**, 11-21
CIP: **6**, 463-472
Circular cylinder: **4**, 313-330
Close-contact melting: **6**, 463-472
Closed cabinet: **4**, 267-279
Cold energy: **2**, 95-113
Combined heat transfer: **1**, 54-62
Combustion: **7**, 581-613
Compact heat sink: **6**, 512-520
Computational fluid dynamics: **3**, 195-212; **6**, 503-511
Concentric rectangular parallelepipeds: **2**, 152-163
Condensation: **7**, 542-560, 571-580
Condensation heat transfer: **5**, 383-393
Contact angle: **5**, 371-382
Contact angle hysteresis: **5**, 371-382
Convection: **3**, 213-221; **4**, 293-300; **6**, 485-502; **8**, 615-623
Convective heat transfer: **7**, 561-570
Correlating equations: **4**, 293-300
Correlation dimension: **1**, 11-21
Corrugated multi-louvered fins: **5**, 383-393
Cryogenics: **7**, 542-560

Dehumidity: **2**, 95-113
Density distribution: **5**, 439-450
Desalinization: **5**, 394-401
Diffusion: **6**, 503-511
Diode package: **5**, 357-370
Direct contact: **2**, 95-113
Direct energy conversion: **3**, 234-244
Disintegration mechanism: **6**, 473-484
Double-diffusive convection: **1**, 63-75; **8**, 636-647
Draining: **5**, 383-393
Dropwise condensation: **2**, 139-151
Drying: **1**, 22-27; **2**, 77-94

Eccentricity: **8**, 624-635
Electronic equipment: **4**, 267-279
Elliptical annuli: **8**, 624-635
Energy conversion: **3**, 234-244
Energy saving: **2**, 126-138
Energy storage: **2**, 126-138
Enthalpy method: **6**, 463-472
Ephemeral wave: **2**, 114-125
Evaporation: **5**, 394-401
Evaporator: **5**, 383-393
Experiment: **4**, 341-356
Experimental analysis: **1**, 40-53

Film boiling: **8**, 689-701
Film condensation: **7**, 542-560
Finite-element method: **3**, 245-258
Finite volume method: **1**, 28-39
Flow impingement: **5**, 402-418
Flow patterns: **4**, 301-312
Flow separation: **5**, 402-418
Flow visualization: **3**, 222-233; **4**, 313-330; **5**, 383-393; **8**, 648-659
Fluidized bed: **3**, 175-184
Forced-air cooling: **6**, 512-520
Forced convection: **4**, 267-279, 280-292, 331-340; **5**, 402-418, 426-438
Frost: **5**, 439-450

Genetic algorithms: **1**, 28-39
Geometrical optics: **5**, 439-450
Glass: **8**, 660-675
Gradient diffusion model: **5**, 402-418

Heat and mass transfer: **2**, 139-151
Heat conduction: **3**, 245-258; **4**, 341-356
Heat exchanger: **2**, 95-113; **3**, 175-184; **4**, 267-279
Heat flux: **5**, 426-438
Heat pipe: **4**, 267-279
Heat transfer: **1**, 11-21, 28-39; **2**, 95-113, 152-163; **3**, 234-244; **4**, 293-300, 301-312, 313-330; **5**, 394-401; **6**, 451-462; **7**, 542-560, 571-580
Heat transfer coefficient: **2**, 164-173; **6**, 485-502, 521-531; **7**, 533-541
Heat transfer enhancement: **3**, 222-233; **4**, 280-292; **5**, 394-401; **7**, 533-541
Helium II: **5**, 419-425
Heterogeneity: **5**, 371-382
Horizontal circular plate: **6**, 485-502, 521-531
HPH furnace: **8**, 615-623
Hydrogen: **7**, 542-560

Ice cube: **2**, 95-113
Impinging jet: **4**, 313-330; **7**, 561-570
Inclined plane: **8**, 648-659
Inclined rectangular enclosure: **4**, 331-340
Inner rotating plate: **4**, 331-340
Instability: **6**, 473-484
Interface temperature: **8**, 660-675
Internal flow: **4**, 280-292
Internal heat source: **3**, 213-221
Inverse problem: **3**, 245-258

Laminar film: **7**, 542-560
Large eddy simulation: **5**, 402-418
Latent heat: **2**, 139-151
LES: **7**, 581-613
Linear response theory: **2**, 164-173
Liquid: **3**, 175-184
Liquid jet: **6**, 473-484
Lyapunov exponent: **1**, 11-21, 40-53

Marangoni: **1**, 1-10
Mass transfer: **2**, 77-94; **6**, 451-462
Measurement theory: **4**, 341-356
Melting: **2**, 95-113
Metal: **4**, 341-356
Microbubble emission boiling: **5**, 426-438
Microfan: **6**, 512-520
Microgravity: **1**, 1-10
Microprocessor: **6**, 512-520
Moisture transfer mechanism: **1**, 22-27
Monte Carlo method: **6**, 503-511
Moving boundary problem: **4**, 280-292
Multi-phase flow: **8**, 636-647
Multiphase flow: **2**, 114-125; **3**, 175-184

Narrow space: **6**, 485-502, 521-531
Natural convection: **1**, 11-21, 40-53; **2**, 152-163; **3**, 222-233; **4**, 301-312, 331-340; **6**, 521-531; **8**, 624-635, 636-647, 648-659, 676-688
Natural energy: **2**, 126-138
Natural gas: **2**, 139-151
Nitrogen: **7**, 542-560
Nondimensional parameter: **3**, 222-233
Nuclear power station: **3**, 185-194
Numerical analysis: **1**, 11-21, 28-39; **2**, 152-163; **4**, 280-292; **5**, 357-370, 439-450; **6**, 485-502; **8**, 624-635
Numerical calculation: **1**, 54-62
Numerical computation: **8**, 676-688
Numerical model: **6**, 451-462
Numerical simulation: **6**, 473-484; **7**, 581-613

Optical measurement: **5**, 439-450
Optimum design: **1**, 28-39
Oscillatory flow: **1**, 63-75

Paper: **2**, 77-94
Particle size distribution: **8**, 636-647
Phase change: **6**, 463-472; **7**, 542-560; **8**, 689-701
Phase-change medium: **1**, 54-62
Pin fin array: **7**, 533-541
Pipe flow: **2**, 114-125
Plastic heat exchanger: **7**, 571-580
Porous media: **1**, 22-27; **2**, 77-94; **3**, 213-221
Press-molding: **8**, 660-675
Pressure wave: **8**, 689-701
Pressurized water reactor: **3**, 185-194
Pulse laser: **4**, 259-266

Radiation transfer: **5**, 439-450
Radiative heat transfer: **7**, 581-613
Range of atmospheric temperature: **2**, 126-138
Rectangular rolls: **2**, 152-163
Restricted spaces: **5**, 394-401
Rocket injector: **6**, 473-484
Roughness: **5**, 371-382

Saturated steam: **3**, 185-194
Scattering media: **5**, 439-450
Secondary flow cell: **1**, 40-53
Secondary system: **3**, 185-194
Sedimentation: **8**, 636-647

Self-induced oscillation: **4**, 313-330
Shape identification: **3**, 245-258
Solar energy: **2**, 126-138
Solid: **3**, 175-184
Solid electrolyte: **3**, 234-244
Soot formation: **7**, 581-613
Spectral method: **1**, 63-75
Stainless steel tube: **2**, 139-151
Steam cycle: **3**, 185-194
Sticking: **8**, 660-675
Stochastic approach: **6**, 503-511
Sub-wave-vein: **2**, 114-125
Subcooled boiling: **5**, 426-438
Superheated steam: **3**, 185-194
Surface coating: **5**, 383-393
Surface tension: **5**, 371-382
Suspension: **8**, 636-647

Tab: **7**, 561-570
Thermal boundary layer temperature distribution: **4**, 301-312
Thermal comfort: **3**, 195-212
Thermal conductivity: **8**, 615-623
Thermal contact conductance: **4**, 341-356
Thermal efficiency: **3**, 234-244
Thermal engineering: **8**, 689-701
Thermal entrance region: **8**, 676-688
Thermal rectification: **2**, 164-173
Thermal sensation: **3**, 195-212
Thermal shock wave: **5**, 419-425
Thermal wave: **5**, 419-425
Thermally fully developed region: **8**, 676-688
Thermodynamics: **5**, 371-382
Thermoelectric conversion: **3**, 234-244
Thermoelectric cooler: **5**, 357-370
Thermophysical property: **5**, 371-382
Thermosyphon: **1**, 54-62; **4**, 301-312
Three-dimensional model: **5**, 357-370
Traction method.: **3**, 245-258
Transfer: **4**, 331-340
Transient characteristics: **4**, 341-356
Transient observation: **4**, 259-266
Transition boiling: **5**, 426-438
Transition criterion: **4**, 293-300
Transition process: **8**, 648-659
Treelike structure: **5**, 439-450
Tube bank: **6**, 451-462
Turbulent flow: **3**, 222-233
Turbulent mixing: **6**, 503-511
Turbulent scalar transfer: **5**, 402-418
Twin-fluid atomization: **6**, 473-484

Unsteadiness: **1**, 40-53
Unsteady heat transfer: **8**, 660-675
Upward facing surface: **6**, 521-531

Vapor explosion: **8**, 689-701
Vapor film: **8**, 689-701
Vertical pipe annulus: **8**, 676-688
Vertical slot: **1**, 40-53
Vertical tube: **7**, 542-560
Void fraction: **3**, 175-184

Wave: **2**, 114-125
Wave venation: **2**, 114-125
Wet flue gas: **7**, 571-580
Wetting: **5**, 371-382